
Date:







CNS | lec 4

موضوع المحاضرة:

رقم المحاضرة:

Aya & Heba : إعداد الصيدلانيه



# inner layer


### 3. The Retina

Located in the posterior 2/3 of the eyeball

- Formed of two layers: مقولة عن المستقر المس

- a) An outer *Pigmented layer* which contains melanin that absorbs any stray light
- b) An inner Neural layer
  formed of several types of
  cells including the
  photoreceptors
  - Axons from the neural layer will come together to form the Optic nerve (CN II)

Fig.32: The retina.



### The Photoreceptors of the retina – Rods and Cones

Metabolic region. Protein and phospholipid synthesis plus ATP production.

External plexiformlayer. Synapses

with bipolar cells.

Outer limiting layer Inner segment Mitochondria Cilium

Outer

segments

Fig.33: The rods and cones.

Photosensitive region.-Generation of the receptor potential.



Cones	Feature	Rods	
Cone-shaped	انتگاهسب Outer segment معلا	Rod-shaped	
Continuous with the cell membrane	إذا كانت موهولة باله الى Membranous discs	Stacked on each other and separated from the cell membrane	
Contains the nucleus, mitochondria, Golgi and polyribosomes	نفس التركيب ال Inner segment	Contains the nucleus, mitochondria, Golgi and polyribosomes	
Modified cilium على الله الموالة	2 segments connected by	Modified cilium	
Less	Sensitivity to light	More	
Color vision	Specialized in	Dark vision	
Mostly in the center	<b>Location in Retina</b>	Mostly on the periphery	





• Optic disc is the area in the retina at which the optic nerve exits the eyeball. This area has no cones or rods and, therefore, it's called the *blind spot*.

بقعةعياء

دير بالك تكون حكيت بحفظ الجدول الصبح، ارجعله! جاي عليه سؤالين الله




Fig.34: The optic disc and nerve.

### The Interior of the eyeball

### · Lens als

ركز! ﴿

- Transparent structure.
- Lacks blood vessels.
- Divides the eyeball into two cavities: anterior and posterior.

#### • Anterior cavity

- Between the cornea and the lens.
- Contains aqueous humor which helps provide nutrients for the lens and cornea.
- Further divided into:
  - 1. Anterior chamber: between cornea and iris
  - 2. Posterior chamber: between iris and lens


#### Posterior cavity

- Posterior to the lens.
- Filled with the gelatinous *vitreous humor* which maintains the shape of the eye.

# المي ولزركاء Glaucoma

- The aqueous humor is a fluid present inside a closed space (the anterior cavity); therefor, a pressure is formed in this space called *'the intraocular pressure'*.
- The aqueous humor is produced by the ciliary processes and circulates in the posterior chamber. After passing through the pupil, it enters and circulates in the anterior chamber. In the angle between the iris and the cornea, there are several channels through which this humor passes to enter the systemic venous circulation.
- There is a balance between the rate of production and removal of the aqueous humor. Any problem that leads to accumulation of this humor will lead to increased intraocular pressure; and this is a serious condition known as 'Glaucoma'.

serious condition known as 'Glaucoma'. — العملية كلها مراه المعالية كلها مراه المعالية كلها من المستلكة المعالية المعالية المتالي المتالية المتالي



weling

Fig.35: The cavities and chambers of the eye.

## Special Senses - Hearing

- Hearing (and equilibrium) is the function of the ear.
- The ear is formed of 3 parts:
- 1. The *external ear*, which collects sound waves and channels them inward.
- 2. The *middle ear*, which conveys sound vibrations to the oval window.
- 3. The *internal (inner) ear*, which houses the receptors for hearing and equilibrium.





Fig.36: The three parts of the ear.

### The External Ear


Formed of the auricle, the external auditory canal and the tympanic membrane (eardrum).

by skin. Its shape allows it to act as an antenna. The *external* auditory canal conveys sounds from the auricle to the eardrum.

The **eardrum** is a 500 thin semitransparent partition between the external and middle ears. It's convex towards the middle ear. To it is attached the malleus bone. It transmits sound to the middle ear.



- تعضيح المعاني باللخة الربية -



### The Middle Ear



- A small, air-filled, epithelium-lined cavity in the petrous part of the temporal bone.
- It contains 3 very small bones (ear ossicles): the *malleus*, *incus*, and *stapes*. These bones articulate with each other by synovial joints.
- The stapes fits into an opening called the *oval windows*. Below this is another opening called the *round window* which is closed by a membrane called the *secondary tympanic membrane*.
- Tensor tympani muscle increases tension in the eardrum. The stapedius muscle (the smallest skeletal muscle in the body)

  dampens vibrations of the stapes. These skeletal muscles protect the inner ear from loud noises.
  - The *auditory tube* connects the middle ear with the pharynx. This helps equalize air-pressure around the eardrum.




Fig.38: The middle ear.

### The Inner Ear (The Labyrinth)



- Formed of the vestibule, cochlea and semicircular canals.
- These structures are bony cavities that lie within the petrous part of the temporal bone. Inside them is another set of membranous structures that have the same shape (the membranous labyrinth).
- Between the bony and membranous labyrinths, we have a fluid called *perilymph*. Inside the membranous labyrinth, we have another fluid called *endolymph*.
- The *vestibule* is the central portion of the bony labyrinth.
- There are three semicircular canals. The membranous semicircular ducts are present inside the canals.

endolymph




Fig.39: Parts of the inner ear.




Fig. 40: How sound is transmitted in the ear.

# مه نهاية مادة الفيست

# بالتوفیق یا رب، وما تنسونا من صالح دعائکم

