

Pharmacognosy

Pharmacognosy deals with "the study of structural, physical, chemical and sensory characters of crude drugs and includes their history, cultivation, collection, storage and use." As well as the search for new drugs from natural sources.

It deals with all medicinal plants, including those yielding complex mixtures, which are used in the form of crude herbs (comminuted herbal substance) or extracts (phytotherapy), pure compounds such as morphine, and foods having additional health benefits only in the context of having preventive effects (nutraceuticals).

History of Pharmacognosy

Natural products, especially those derived from plants, have been used for medicinal purposes since ancient times.

Clay tablets of the Babylonian, Assyrian, and Sumerian eras dated 2600 - 4000 BC are thought to be the earliest recordings of plant usage as herbal remedies.

Egyptians also had many paintings of medicinal plants on their tomb walls dated around 2200 - 2700 BC. The Ebers papyrus, which dates from around 1550 BC, is the most famous medical document of ancient Egypt and contains more than 800 medicinal recipes using medicinal plants.

This centuries-old usage of natural products certainly continues into the present, as half of prescription drugs in the market today contain plant-derived ingredients.

The term **pharmacognosy** was introduced by A. Seydler, a medical student in Halle/Saale, Germany, in 1815 (A small work by Seydler entitled *Analecta Pharmacognostica*).

This term originates from 2 Greek words:

- **pharmakon: drug**

- **gnosis: knowledge**

معرفة
علم بالمواد الطبيعية
pharmacological activity

Today, pharmacognosy is a **highly specialized science** that represents one of the major disciplines of pharmaceutical education. It gained its importance nowadays as a result of the intense concern with all aspects of **ecology**, causing renewed interest in so-called **'natural' foods and drugs**.

The availability of an extremely wide variety of these natural products, ranging from fenugreek tea to ginseng chewing gum, has also stimulated the public to learn more about them.

* Modern aspects of pharmacognosy science include not only the crude drugs but also their natural derivatives.

Example:

1 **Digitalis leaf** (*Digitalis lanata* folium) and its isolated glycoside, **digitoxin** (treatment of heart failure).

2 **Rauwolfia root** (*Rauwolfia serpentina* radix) and its purified alkaloid, **reserpine** (treat high pressure).

3 **Thyroid gland** with its extracted hormone, **thyroxin**.

***Natural and Synthetic Substances :**

In some instances drug constituents have been partially replaced by synthetic compounds of identical chemical structure and therapeutic properties. However, they can be distinguished by chemical and physical tests.

Example: ^{natural} complete

• Natural camphor is obtained from the camphor tree by steam distillation (dextrorotatory). In contrast, synthetic camphor (racemic mixture) may be manufactured by either a completely synthetic process from vinyl chloride and cyclopentadiene or by semi synthesis from pinene derived from pine sumps (not entirely a synthetic process but a chemical modification of a natural product).

• Epinephrine, caffeine, codeine, ephedrine, menthol, antibiotics, vinblastine, steroids and other chemicals may also be partial or total synthesis. They are considered a definite part of pharmacognosy.

Phytochemistry

- **Phytochemistry** : the chemistry of plant-originating products.
- started to be used in the late 1950s when chromatography and spectroscopy separation methods and equipment aided in isolating and discovering more chemical entities from the plant kingdom.
- While pharmacognosy is more comprehensive refers to anything natural. Phytochemistry refers only to the substances and the chemistry of these substances obtained from the plants.
- Phytochemistry isn't only concerned with the important primary metabolites, which are common form of the plants, but also the physiologically active secondary metabolites.

دفاعية
defense

natural product

pharmacological activity

energy / fat / protein / lipid

Ethnopharmacology

- Ethnopharmacology: it is a new science concerned with the use of these natural drugs in different traditional medicine, folk medicine; which varies according to the environment.
- So, this term is dealing with study of materials or natural medicine which are used in different cultures.
- It gives us an idea about the medication methods in different cultures, it is very comprehensive term.
- In drug discovery, they are based on the traditional medicine; they are getting these information from the population in certain area, By asking how to treat this disease, how are preparing the formulation from this plant; in boiling, drying ...etc.
- So, Ethnopharmacology is a very important backbone in the new drug discovery.

Some important natural products

1785: William Withering used foxglove extract to treat heart patients, and he published this application. Digoxin was discovered due to this treatment; Glaxo Smith Kline markets this drug as Lanoxin, and it is used to treat arrhythmia and congestive heart failure.

1803: Sertürner isolated morphine from opium.

1817: Isolation of strychnine from strychnine tree (*Strychnos nux-vomica*).

1820: Isolation of caffeine (from Coffee beans) and quinine from Cinchona (*C. officinalis*) bark.

1828: Isolation of nicotine from tobacco (*Nicotiana tabacum*) leaves.

1833: Isolation of atropine from Atropa belladonna leaves and roots.

1855: Isolation of cocaine from coca (*Erythroxylum coca*) leaves.

1868: Isolation of digitaline from foxglove (*Digitalis purpurea*) leaves.

1897: Arthur Eichengrün and Felix Hoffmann at Bayer Company created aspirin. Aspirin was the first semi-synthetic drug synthesized from a natural product, salicylic acid, extracted from the willow (*Salix spp.*) bark.

1928: Alexander Fleming discovered Penicillin from penicillium mold (fungi), and this discovery changed modern medicine and the treatment and understanding of infectious disease.

Penicillin

← Fungai

الاسرار الحية

← اسم دواء جاي من ال

←

#

aspirin	700-800 analgesic effect
80-100 antiplatelet	400 anti pyretic

Role of Pharmacognosists:

يتمتعون بمصادر المواد الطبيعية وحشائش

• Identification of the natural source & determination of the morphological characters.

• Determination of cultivation, collection, drying, and preparation.

• Isolation & identification of the chemical structure of "active constituents".

• Characterization of the pharmacology of crude extracts & isolated active constituents.

• Evaluation of purity & quality of natural medicines.

• Interdisciplinary relationship with ethnobotany & ethnopharmacology

علم النبات العربي

علم الأدوية الحديثة

CRUDE DRUGS

Crude Drugs

خام
Crude drugs are unrefined medications in their raw or natural forms ^{غير مكرر / ادوي}

It is used for those natural products such as plants or part of plants, extracts and exudates which are not pure compounds and used in medicine

drug can be obtained from

1. Entire organism (plant, animal, organism) such as

Mentha, cochineal. → ^{entire animal}


2. Entire organs of plant or animal as leaves (senna), flowers (chamomile),... animal part (thyroid), mineral (talc). ^{افزازات مثل حسو الباذنج}

3. An extract or exudates (Products) of an organism.

4. Isolated pure compounds

افزازات النبتة او الحيوان

Entire plant or animal
mentha cochineal




insect
بزرگو
→ شقوفا
و ياخذ
آر الشكابي
عشان يعملو
red dye
ف عند طريق
صا به ال insect
نقتل ونضج
red dye

Reference: Prof. Madiha Amin Hassan

Entire organs of plant

• leaves (senna)

Flowers (chamomile)





antioxidant effect and anticancer

Reference: Prof. Madiha AminHassan

exudates :

Plant or gums

animal product beeswax



Reference: Prof. Madiha AminHassan

The term crude, as used in relation to natural products, means any product that has not been advanced in value or improved in condition by shredding, grinding, chipping, crushing, distilling, evaporating, extracting, artificial mixing with other substances or by any other process or treatment beyond what is essential to its proper packing and to the prevention of decay or deterioration pending manufacture.

crude drug = collection + drying

Crude drugs are plant or animal drugs that consist of natural substances that have undergone only the processes of collection and drying. Crude Drugs or their chief principles are used as therapeutic agents.

* The term natural substances refers to those substances found in nature that comprise whole plants and herbs and anatomic parts thereof; vegetable saps, extracts, secretions, and other constituents thereof; whole animals and anatomic parts thereof; glands or other animal organs, extracts, secretion, and other constituents thereof; and substances that have not had changes made in their molecular structure as found in nature.

* Chief principles (constituents): extractives (or derivatives) which are obtained from the crude drugs (usually by extraction). Regardless of whether the derivative or extractive is a single substance or a mixture of substances, it is considered the chief constituent of the drug.

secondary metabolites
mostly → semi polar

* The process of drug extraction is a generally accepted method of obtaining these active principles. Extraction removes only those substances that can be dissolved in the liquid mixture referred to as the solvent, or, more specifically, as the menstruum. The undissolved portion of the drug that remains after the extraction process is completed is called the marc.

Pharmacognosy
Dr. Khaled Tawaha

Some reasons for the interest in natural compounds in the 20th /21st century

Search for chemicals from natural sources as ^{علاجي} curative agents, especially for chronic diseases (diabetes, hyperlipidemia, hypertension) or for diseases the synthetic chemistry was not successful (cancer)

Increased interest in the chemical compounds from the viewpoint of pure science

Worldwide interest in the different traditional medicines ("back to the nature"-trends)


Interest in the use of chemical constituents as an aid in plant taxonomy (chemotaxonomy)

تصنيف النبات

Taxonomy


a branch of science that deals primarily with the description, identification, nomenclature, & classification of organisms.

It is essential to classify living organisms into different groups and subgroups.




Italic
بخط
الكبرى
بخط اليه
يكون تحت خط
كل كلمة تحت خط

small letter
↑ capital letter




- ① SPECIES
 - ② GENUS
 - FAMILY
 - ORDER
 - CLASS
 - PHYLUM
 - KINGDOM
- Example:
- Homo Sapiens
 - Homo
 - Hominids
 - Primates
 - Mammals
 - Chordates
 - Animals

Solanaceae → Family solanaceae produced the most common vergetable plant




مشهور بانه اعشاب ال species + genus عبارة عن اسباب
 و يمكن aromatic يعني ال
 رائحة عطرية

Labiatae/ Lamiaceae



Mentha species



BOTANICAL NOMENCLATURE

The modern rules governing the terminology of plant taxonomy are laid down in The International Code of Botanical Nomenclature.

- * **Botanical Name** = Scientific Name = Latin Name
- * **Pharmaceutical Name** = Pharmacop. Name = Crude Drug Name

* Linnaeus (father of modern taxonomy) introduced the general adoption of the present **binomial system** (plants and animals), in which the first name denotes the genus (**capital** initial letters), while the second (specific) name denotes the species (**small** initial letters), and the authority (the name of the author who was the first to give a species or other taxon its name) the authority is given after the binomial.

Example:

Aster bellidiastrum (L.) Scop.

author

capital letter : بس بلیڈ Italic Family ج ۱ ۲۳

- The 1st and the 2nd names are either written underlined or in italic (PC; most commonly used in literature)
- The specific name is usually chosen to indicate some striking characteristic of the plant for the example the hemlock with spotted stem is named Conium maculatum (maculatum) means spotted

بک
منقلا

Important Definitions and Aspects Related to Crude Drugs


The geographic source and habitat are the region in which the plant or animal yielding the drug grows.

Drugs are collected in all parts of the world, though the tropics and subtropics, where plant species, abound, yield more drugs than do the artic and subarctic regions.

The Mediterranean basin, including Asia Minor, yields more drugs than any other region of the world.

However, India, the East Indies, central Europe, northern South America, Mexico, Central America, North America, and other regions yield numerous and valuable drugs.

Neither the scientific name of the plant nor the commercial name of the drugs is necessarily an indication of the true habitat of drugs plants. ^{but} For example, the specific name of *Acacia senegal* seems to indicate that this plant, which yield gum Arabic, is most abundant in Senegal.



Indigenous and Naturalized Plants

- # 1- Plants growing in their native countries are said to be indigenous to those regions, such as *Pinus palustris* in the southern United States.
- # 2- Plants are said to be naturalized when they grow in a foreign land a locality other than their native homes, such as *Datura stramonium*, which was introduced into the United States from Europe (native country).

Reasons for naturalized plants

- A- Some of these plants may have been introduced with the seeds of cultivated plants. ^{ادخلت}
- B- Some by birds or ocean currents. ^{طير}
- C- Others by ballast of ships, and so on.

^{برية} ^{مزرعة} Wild and Cultivated Plants

Drugs can be collected from wild plants, or plants can be cultivated for the production of drugs.

Cultivated medicinal plants have been propagated for centuries in China, India, Europe, and many other lands.

Plants usually cultivated in their non- native countries for economic and therapeutic (drug) interests.

For example cocoa (native to Mexico) is cultivated in large quantities in Nigeria, Ghana and Indonesia. ^{نزع}

It is important to check that plants cultivated in a certain geographic area will develop the desired type and amount of constituents. The differences in the relative amounts of volatile constituents often determine the character of the oil and, consequently, the demand for that particular oil. California orange oil is marketed at more than twice the price of Florida oils.

- * The use of modern isolation techniques and pharmacological testing procedures means that new plant drugs usually find their way into medicine as purified substances rather than in the form of galenical preparations.
- dried Catharanthus roseus → isolated alkaloids vinblastine and vincristine.

most important anticancer
الأهم والأكثر أهمية

THE SCOPE AND PRACTICE OF PHARMACOGNOSY

secondary metabolites
ناتجة ثانوية
pharmacological activity
النشاط الدوائي


- 1- **Although** pharmacognosy is principally concerned with plant materials,
- there are a small number of animal products which are traditionally encompassed within the subject
- such items as beeswax, gelatin, wool fat, vitamins, etc.

- 2- **Materials** having no pharmacological action which are of interest to pharmacognosists are natural fibers, flavoring and suspending agents, colorants and stabilizers.

- 3- **Other** areas that have natural associations with the subject are poisonous and hallucinogenic plants, herbicides, insecticides.

الأهم والأكثر أهمية

Classification of Crude Drugs in References



1. Alphabetical: Either Latin or vernacular (English name) names may be used.

This arrangement is employed for dictionaries, pharmacopoeias, etc. Although suitable for quick reference it gives no indication of interrelationships between drugs.

2. Taxonomic: On the basis of an accepted system of botanical classification, the drugs are arranged according to the plants from which they are obtained in classes, orders, families, genera and species.

It allows for a precise and ordered arrangement. As the basic botanical knowledge of pharmacy students decreases over the years → this system is becoming less popular for teaching purposes.

ص ب الشكل الخارجي للنبات

3. Morphological: groups as leaves, flowers, fruits, seeds,(organized drugs), dried extracts, gums, oils,...(unorganized drugs).

Example: Organized Drugs :

• **Leaves** – Eucalyptus, Mint, Senna, Spearmint, Squill, Coca, Hyoscyamus, Belladonna, Tea.

therapeutic effect

ص ب

4. Pharmacological or Therapeutic: This classification involves the grouping of drugs according to the pharmacological action of their most important constituent or their therapeutic use (cardiac glycosides) → However, it is important to appreciate that the constituent of any one drug may fall into different pharmacological groups

ص ب ال major constituent التي تفرزها النبات

5. Chemical or Biogenetic. The important constituents, e.g. alkaloids, glycosides, volatile oils, saponins etc., or their biosynthetic pathways, form the basis of classification of the drugs.

→ This is a popular approach when the teaching of pharmacognosy and is phytochemically based. → Textbook : Bruneton j. Pharmacognosy, photochemistry and medicinal plants

Chemical or Biogenetic Classification

Based on this type of classification we can group the medicinal plants into:

1. Carbohydrates تستخدم في البستنة لتتوفر عليهم

2. Glycosides: → Laxative

a. Anthraquinone Glycosides – Aloe , Cascara , Rhubarb , Senna

b. Saponins Glycosides – Quillaia , Glycyrrhiza

c. Cyanophore Glycosides – Wild cherry bark

d. Isothiocyanate Glycosides – Mustard

e. Cardiac Glycosides – Digitalis , Strophanthus

f. Bitter Glycosides – Gentian , Calumba , Quassia

3. Tannins

4. Volatile Oils: Monoterpenes & Sesquiterpenes

5. Resins: Complex mixture of compounds like resinols , resin acids , resinotannols: Cannabis , Capsicum , Turmeric , Balsam of Tolu and Peru , Myrrh , Ginger.

6. Alkaloids: Nitrogenous substance

Pyridine and Piperidine – Lobelia , Nicotiana

Tropane – Datura , Stramonium , Hyoscyamus , Henbane .

Quinoline - Cinchona

Isoquinoline – Opium , Ipecac , Calumba .

Indol – Ergot , Rauwolfia .

Amines – Ephedra

Purines – Tea , Coffee .

7. Triterpenes

دراسات منشورة من البيا Monographs

A monograph (Classical Greek, "One Writer" or "Single Writing") is a work of writing upon a single subject

A single document that forms a complete text in itself. Normally it is used for a work intended to be a complete and detailed exposition of a substantial subject at a level more advanced than that of a textbook.

Monographs form a component of the review literature in science and engineering.

Published monographs

→The aim has been to set standards for quality, efficacy and safety in order that the many traditional herbs meet legal requirements. The following are of note:

1-German Commission E monographs. *هيئة الصحة الألمانية*

These were developed for the German Federal Health Authority between 1978-1994 and involve 324 herbs used in German traditional medicine. →The monographs give sources, constituents and considerable pharmacological and clinical information.

→They have now been translated into English and published by the American Botanical Council in 1999 as a single work.

2- ESCOP monographs:

ESCOP (European Scientific Cooperative for Phototherapy) Information is given on approved therapeutic uses, and unlike the Commission E monographs, provides references.

European *أوروبا*

زبانة علم الادوية

3- AHP monographs:

The American Herbal Pharmacopoeia planned to have published 11-13 monographs by the end of 2000.

→There is naturally a selection of American traditional herbs with some overlap with the European monographs.

more standard AHP

4- WHO monographs:

The World Health Organization published Volume I of its Monographs on Selected Medicinal Plants in 1999. It contains standards for quality of drugs together with a therapeutic section.

5- USP monographs:

The United States Pharmacopoeia is also producing herbal monographs.

بعض الأدوية
بعض الأدوية
بعض الأدوية