

Lecture Notes

Basics for Pharmaceutical Care by Dr Mohanad Odeh

ما هي أول وحدة وأسهم وحدة

Explicit = objective not subjective تكون Too | أراء الناس بدن

Beers criteria (USA)

first developed in 1991 for nursing home residents using consensus techniques

potentially inappropriate drugs for people aged ≥ 65

• 34 generally avoided medications/classes

• 14 conditions and medications that should be avoided in these conditions

• 5 medication to be used with caution

* يوجب الصيدكي يخطط صداول Beers عندو وبسوف صار لها حرجو
بالوصفة؟ يعني list جاهزة وانت تشغل عليها

* يوجب مثل يقولك عن ال category of drugs
مثل Benzodiazepines يقولك انها avoid
لاش avoid وانه لسبب كذا كذا هو ال Recommendation
انوملك سيدخدم في حالات معينة فقط اوله ميختار في حالات

Organ System or Therapeutic Category or Drug	Rationale	Recommendation	Quality of Evidence Strength of Recommendation
			Scientist راسا بعد ما توخذ مارة drug informative يعني موكل Evidance base هاي ميكون هاي Strong evidence قوي medium / moderate / Strong

STOPP (Screening Tool of Older Person's potentially inappropriate Prescriptions)

Medication should stop it

2008, Ireland, consensus techniques

aged ≥ 65

65 criteria arranged according to physiological system accompanied by explanation why the prescription is potentially inappropriate (overprescribing)

e.g. „Beta-blocker in combination with verapamil or diltiazem (risk of heart block).“
بشكل عام ضاهي تنطبق
Explicitly يعني بتوضرها وبتطبقها عن
كل المرضي

START (Screening Tool to Alert doctors to the Right Treatment)

Medication should start it

2008, Ireland, consensus techniques

aged ≥ 65

22 medications arranged according to physiological system (they are effecting) that should be considered for people with certain conditions (underprescribing)

e.g. „Beta-blocker with ischaemic heart disease.“
بشكل عام تنطبق عن
كل المرضي

PRISCUS list → 2010

2010, Germany, consensus techniques, based on Beers 1997/2003,

aged ≥ 65

83 potentially inappropriate medications, designed for German health-care system

provides main concerns, possible therapeutic alternatives and precautions

علاو الهم Criteria خمسة :-

① Medication	② Main concerns (selected) Beers أو Stop أي	③ Possible therapeutic alternatives زي Start او زي بعض ال	④ Precautions to be taken when these medications are used
			additional notes توضعها بالكسبان

وطبقا ما في بالعلم اش مطلق 100% هاي رها امتيازات وهاي
الها امتيازات هاي تقتب على تقييم ضهار رضاي تختص عن
قوائم كاملة رين في اكمية العلوية نتائج انك تفعل Assessment ذ في
tool Implicit وزي Explicit tool عزاب Explicit بداية مرفقة
بعد يربط ال Implicit يكون additional Value ال Expert
اي يشتغل في حين ال Pharmaceutical care

* حبيب بنت امن Implicit or Explicit ؟

* ص النظام ، اذا كان بدن تقييم ضهار وصيدا يقيموا
محيرة ، مرضي specific حالتهم معقدة ← Beers
* general practice ، صيدالة في مقبل العمر بيتسخدم
Explicit ال

